

“Clean Version of the Amended Claims”

1. A ventilation apparatus for mounting in a garage door including:

a rectangular shaped base support member, the base support member including a first pair of spaced aligned horizontally extending members, a first pair of spaced aligned vertically extending members, one of the vertically extending members being coupled between each end portion of the pair of horizontally extending members so that an opening is formed in the base support member between the first pair of horizontally extending members and the first pair of spaced aligned vertically extending members, a second pair of spaced aligned horizontally extending members, each one of the second pair of horizontally extending members being perpendicularly coupled to one of the first pair of horizontally extending members, a second pair of spaced vertically extending members, each one of the second pair of vertically extending members being perpendicularly coupled to one of the first pair of vertically extending members;

a first rectangular shaped tracking member having an opening formed therein, aligned in a first portion of the base support member opening;

a first transparent member coupled in the first tracking member;

a second rectangular shaped tracking member having an opening formed therein the second rectangular shaped tracking member being aligned in the entire base support member opening;

a second transparent member mounted for slidable movement in the second tracking member opening so that the second transparent member can be moved second tracking member opening to a first position in adjacent alignment with the first transparent member causing a second portion of the base support member opening to be covered and can be moved to a second

position out of the adjacent alignment with the first transparent member causing a second portion of the base support member opening to be uncovered;

a plurality of predetermined spaced apertures formed in the rectangular shaped base support member for aligning and facilitating the attaching of the rectangular shaped base support member to an upper most panel of the garage door; and

a plurality of fastening members one of the plurality to be mounted in a predetermined one of the spaced apertures in the rectangular shaped base support member for attaching the rectangular shaped base support member to the uppermost panel of the garage door.

5. A ventilation apparatus as defined in Claim 2 wherein the first tracking member includes:

a first pair of spaced aligned horizontally extending tracks each one of the tracks being coupled to one of the second horizontally extending members; and

a first pair of spaced aligned vertically extending tracks one of the vertically extending tracks being coupled between each outermost end portion of the pair of horizontally extending tracks on an adjacent one of the second pair of spaced vertically extending members.

10. A ventilation apparatus for mounting in a garage door including:

a rectangular shaped base support member, the base support member including a first pair of spaced aligned horizontally extending members;

a first pair of spaced aligned vertically extending member, one of the spaced aligned vertically extending members being coupled between each end portion of the pair of spaced aligned horizontally extending members so that an opening is formed in the base support member between the first pair of spaced aligned horizontally extending members and the first pair of spaced aligned vertically extending members;

a second pair of spaced aligned horizontally extending members, each one of the second pair of spaced aligned horizontally extending members being perpendicularly coupled to one of the first pair of spaced aligned horizontally extending members;

a second pair of spaced aligned vertically extending members, each one of the second pair of spaced aligned vertically extending members being perpendicularly coupled to one of the first pair of vertically aligned extending members;

a first rectangular shaped tracking member having an opening formed therein, aligned in the base support member opening;

a first transparent member slidably coupled in the first tracking member opening so that the first transparent member can be moved to a position so first portions of the base support member opening are closed and can be moved to another position so that the opening is open;

a second rectangular shaped tracking member having an opening formed therein aligned in the base support member opening adjacent the first tracking member;

a second transparent member mounted for slidable movement in the second tracking member opening so that the second transparent member can be moved to a position to cover

second portions of the base support member opening and so that the second transparent member can be moved to a position so that the second portions of the base support member opening are uncovered;

a plurality of predetermined spaced apertures formed in the rectangular shaped base support member for aligning and facilitating the attaching of the rectangular shaped base support member to an upper most panel of the garage door; and

a plurality of fastening members one of the plurality to be mounted in a predetermined one of the spaced apertures in the rectangular shaped base support member for attaching the rectangular shaped base support member to the uppermost panel of the garage door.